

Patient Name REPORT , A		DOB	Report Printed 5/19/2020
Specimen Type Cerebrospinal Fluid		Client Information Test RightFax 6 Upstairs Right	MiraVista ID M00001050
Specimen ID			
Collection Date 01/01/2001	Received Date 03/18/2020	Fax 317-455-2188	

LAB SERVICES REPORT

Test	Result	Unit	Interpretation	Report Date
309 Aspergillus Galactomannan EIA				
Aspergillus Galactomannan	1.52	index	POSITIVE	03/18/2020

Test Parameters:

Reference Interval: Results with an index of < 0.5 are negative
 Reportable Range: Results with an index of ≥ 0.5 are positive

Serum and Bronchoalveolar Lavage Fluid are cleared by the FDA for the Platelia Aspergillus EIA.
 Sample types other than those are tested for research purposes only.

This document contains confidential privileged information. The recipient of the information is prohibited from disclosing the contents to another party without authorization. If you are not the intended recipient, you are hereby notified that disclosure of the contents is strictly prohibited. Please notify MiraVista Diagnostics immediately if you received this information in error.

Patient Name REPORT , A	Specimen ID	Specimen Type Cerebrospinal Fluid	Collection Date 01/01/2001
-----------------------------------	--------------------	---	--------------------------------------